



## Concrite Concrete

Concrite pre-mixed concrete products can be used in a variety of building and civil engineering applications. Each Concrite concrete product is designed to have the strength and durability to comply with targeted requirements.

Products/Ranges:	Various - See Comments
Product Stages Assessed:	Whole of life + In-Use
Product Type:	Concrete
CSI Masterformat:	03 00 00 - Concrete
Licenced Site/s:	Australia
Licence Number:	CCR:CR01:2023:PH
Licence Date:	15 <sup>th</sup> August 2023
Valid To:	06 <sup>th</sup> June 2026
Standard:	GGT International v4.0
Screening Date:	07 <sup>th</sup> May 2025
PHD URL:	<a href="https://www.globalgreentag.com/certificate/2198">https://www.globalgreentag.com/certificate/2198</a>



### PHD Summary

Percentage Assessed: **100%**

### Inventory Threshold:

100ppm Product Level

### Inventory Method:

Nested Materials

- GreenTag Banned List Compliant.
- GreenTag PHD recognised by WELL<sup>TM</sup> & LEED<sup>®</sup> Material Transparency & Optimisation credits included below:
- Meets IWBI<sup>®</sup> WELL<sup>TM</sup> v1.0 as Recognised for ~ Feature 26 (Part 1); Feature 97 (Part 1); as a Compliant Technical Document (Audited) for ~ Feature 11 (Part 1); and, meets IWBI<sup>®</sup> WELL<sup>TM</sup> v2.0 as Recognised for ~ X07 (Parts 1, 3); X08 (Part 2); as a Compliant Technical Document (Audited) for ~ X01 (Part 1); X07 (Part 2); X08 (Part 1).
- Meets USGBC LEED<sup>®</sup> v4.0 and v4.1 Rating Tool Credit as Recognized for MR Credit: Building Product Disclosure and Optimisation - Material Ingredients - Option 1: Material Ingredient Reporting, Option 2: International ACP - REACH Optimisation.
- Independent third party assessment for worker, user, and environmental exposure to any Carcinogens, Mutagens, Reproductive Toxicant or Endocrine Disruptors.

#### ASSESSMENT:



Declared by:  
Global GreenTag  
International Pty Ltd

David Baggs  
CEO & Program Director  
Verified compliant with:  
ISO 14024 & ISO 17065

## 1.0 Scope

The Global GreenTag International (GGT) Product Health Declaration (PHD) has been designed to provide an additional level of service to the green product sector in facilitating an easier understanding of both the hazard and risks associated with any certified products, and is intended to indicate:

- Chemical hazards of both finished product and unique ingredients to a minimum level of 100ppm for final product throughout the product life cycle (including any VOC or other gaseous emissions);
- An assessment of exposure or risk associated with ingredient handling, product use, and disposal in relation to established mitigation and management processes;

It is not intended to assess:

- substances used or created during the manufacturing process unless they remain in the final product; or
- substances created after the product is delivered for end use (e.g., if the product unusually degrades, combusts or otherwise changes chemical composition).

GGT PHDs are only issued to products that have passed GGT Standards' certification requirements. The Level of Assessment (BronzeHEALTH, SilverHEALTH, GoldHEALTH or PlatinumHEALTH) of a PHD rating relates ONLY to a Human Health Toxicity Assessment and is declared separately and not equivalent to the overall Bronze, Silver Gold or Platinum Green Tag Certification Mark Tier Levels of LCARate.

## 1.2 Preparing a PHD

GGT PHDs are prepared in the format of a transparency document which utilizes Hazard Classifications from the UN Globally Harmonised System of Classification and Labelling of Chemicals (GHS). Hazard Classifications are then risk assessed with a focus on the In Use stage for an outcome of Certification. Assessments are undertaken by GGT Qualified Exemplar Global Lead Auditors and subsequently accepted for Certification by the GGT Program Director (also a Qualified Exemplar Global Lead Auditor) under the International Standard v4.0/4.1, Personal Products Standard v1.0/1.1, or Cleaning Products Standard v1.1/1.2 and above Program Rules.

## 1.3 External Peer Review

Every GGT PHD is independently peer-reviewed by an external Consultant Toxicologist and Member of the Australasian College of Toxicology & Risk Assessment.

## 2.0 Declaration of Ingredients

Where a manufacturer wishes recognition under a rating program that requires transparency of ingredients, such as LEED<sup>®</sup> v4.0 & v4.1, WELL<sup>®</sup> v1.0 & v2.0, Green Star<sup>®</sup>, the following information is declared from the audit:

Colour	Ingredient Hazard Disclosure
Green	<b>Level 4</b> The hazard level of this ingredient indicates that the ingredient has no toxic hazard statements with no identified health effects.
Yellow	<b>Level 3</b> The hazard level of this ingredient indicates that the ingredient is mildly toxic and/or has short/medium term reversible health effects.
Orange	<b>Level 2</b> The hazard level of this ingredient indicates that the ingredient is moderately toxic and/or with a moderate health effects.
Red	<b>Level 1</b> The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects.
Black	<b>Level 0</b> The hazard level of this ingredient indicates that the ingredient is highly toxic with a potential for severe health effects and is banned from being detectable above trace amounts in the final product.
Grey	<b>Grey Chemical</b> Not able to be categorised due to lack of toxicity impact information.
Colour	Risk Assessment & In Use Health Assessment Outcome
Green	<b>No Concerns</b> The risk assessment outcomes for the hazard level and percentage of ingredient used in the product after risk assessment is considered highly unlikely and therefore without concerns.
Yellow	<b>Human Health Comment</b> The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low with an unlikely potential risk.
Orange	<b>Issue of Concern or Issue of Concern Minimised</b> The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to high with a higher than unlikely potential for risk.
Red	<b>Red Light Comment or Red Light Comment Minimised</b> The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered low to extremely high with a moderate potential for risk.
Dark Red	<b>Red Light Exclusion</b> The risk assessment outcome for the hazard level and percentage of ingredient used in the product is after risk assessment considered medium to extremely high with a likely potential for risk.
Grey	<b>Grey Chemical</b> Not able to be categorised due to lack of toxicity impact information.
Black	<b>Banned Ingredients</b> Level 0 Hazard Level categorised chemicals such as Substances of Very High Concern in the International Standard v4.0/v4.1 and/or Petroleum, Parabens plus a wide range of additional compounds stipulated by the Personal Products Standard v1.0/1.1 and Cleaning Products Standard v1.1/1.2

Global GreenTag International Pty Ltd (Global GreenTag) is not a medical professional organisation. Global GreenTag does not purport to provide medical advice, and makes no warranty, representation, or guarantee regarding the declaration that it provides in relation to any allergies, chemical sensitivities or any other medical condition, nor does Global GreenTag assume any liability whatsoever arising out of the application or use of any product or piece of equipment that has been chemically assessed by Global GreenTag.


































The chemical assessments carried out provide transparent information peer reviewed by a consultant toxicologist regarding the chemical make-up and ingredients of certain materials and products, but such assessments are not to be taken as any form of medical assessment or health advice and are not targeted towards providing specific solutions to allergenic conditions or any other type of medical concerns.

Users must carry out their own investigations if they are concerned about specific medical conditions and the impact of certain products or ingredients in relation to specific medical concerns.

Global GreenTag takes no responsibility and is not liable in any way with respect to any medical or health issues arising from a person's use of materials or products that have been chemically assessed by Global GreenTag. Global GreenTag shall not be liable for any direct, indirect, punitive, incidental, special or consequential damages to property or life whatsoever, arising out of or connected with the use or misuse of any materials or products that have been assessed by Global GreenTag.


































Ingredient Name	CAS Number OR Function	Proportion in finished product	GHS, IARC & Endocrine Category	REACH Compliance	Ingredient Assessment	Whole Of Life Assessment	In Use Health Assessment	Comment
Coarse Aggregate								
Quartz (>1% repairable crystalline silica)	14808-60-7	20-85%	H351i (Carc 1A) H373 (STOT(SE)2)	OK	<div></div>	<div></div>	<div></div>	This substance is hazardous to inhale. Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. This product is supplied as a wet mixture which reduces the risk of exposure however some exposure may occur when cleaning tools and clothing. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concrete recommends the use of respirators and other PPE to avoid dust to minimise risk during use phase. Recycled Content: None Nanomaterials: Unknown
Manufactured Sand								
Quartz (>1% crystalline silica)	14808-60-7	20-85%	H351i (Carc 1A) H373 (STOT(SE)2)	OK	<div></div>	<div></div>	<div></div>	This substance is hazardous to inhale. Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. This product is supplied as a wet mixture which reduces the risk of exposure however some exposure may occur when cleaning tools and clothing. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concrete recommends the use of respirators and other PPE to avoid dust to minimise risk during use phase. Recycled Content: None Nanomaterials: Unknown
Other Substances	NA	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance. Recycled Content: None Nanomaterials: Unknown
Natural Fine Aggregate								
Quartz (>1% repairable crystalline silica)	14808-60-7	20-85%	H351i (Carc 1A) H373 (STOT(SE)2)	OK	<div></div>	<div></div>	<div></div>	This substance is hazardous to inhale. Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. This product is supplied as a wet mixture which reduces the risk of exposure however some exposure may occur when cleaning tools and clothing. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concrete recommends the use of respirators and other PPE to avoid dust to minimise risk during use phase. Recycled Content: None Nanomaterials: Unknown
Other Substances	NA	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance. Recycled Content: None Nanomaterials: Unknown
General Purpose Cement								
Portland cement	65997-15-1	15-30%	H315 (Skin Irrit. ) H317 (Skin Sens. 1B) H318 (Eye Dam. 1) H335 Inhalation (STOT SE 3)	OK	<div></div>	<div></div>	<div></div>	This substance is an irritant for eye, skin and inhalation. Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. This product is supplied as a wet mixture which reduces the risk of exposure however some exposure may occur when cleaning tools and clothing. Drying cement also produces heat. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concrete recommends the use of respirators and other PPE to avoid dust to minimise risk during use phase. Recycled Content: None Nanomaterials: Unknown











































Limestone (calcium carbonate)	1317-65-3	1-5%	Not Classified	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance as a whole. When mixed with water it becomes caustic but this is managed through Health, Safety, Environment and Quality (HSEQ) Management System Recycled Content: None Nanomaterials: Unknown
Gypsum	13397-24-5	1-5%	Not classified	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance. Recycled Content: None Nanomaterials: Unknown
Calcium oxide	1305-78-8	0.01-1%	H315 (Skin Irrit. 2) EH318 (Eye Dam. 1) H335 Inhalation (STOT SE 3)	OK	<div></div>	<div></div>	<div></div>	This substance is an irritant for eye, skin and inhalation. Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. This product is supplied as a wet mixture which reduces the risk of exposure however some exposure may occur when cleaning tools and clothing. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concrete recommends the use of respirators and other PPE to avoid dust to minimise risk during use phase. Recycled Content: None Nanomaterials: Unknown
Magnesium oxide	1309-48-4	0.01-1%	Not classified	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance. Recycled Content: None Nanomaterials: Unknown
Quartz (>1% respirable crystalline silica)	14808-60-7	0.01-1%	H351i (Carc 1A) H373 (STOT(SE)2)	OK	<div></div>	<div></div>	<div></div>	This substance is an irritant for eye, skin and inhalation. Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. This product is supplied as a wet mixture which reduces the risk of exposure however some exposure may occur when cleaning tools and clothing. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concrete recommends the use of respirators and other PPE to avoid dust to minimise risk during use phase. Recycled Content: None Nanomaterials: Unknown
Ashes (residues)	68131-74-8	1-5%	H319 (Eye Irrit. 2)	OK	<div></div>	<div></div>	<div></div>	This substance is an irritant for eye, skin and inhalation. Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concrete recommends the use of respirators and other PPE to avoid dust. This minimises risk during use phase. Recycled Content: None Nanomaterials: Unknown
Slags, ferrous metal, blast furnace	65996-69-2	1-5%	Not classified	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance. Recycled Content: None Nanomaterials: Unknown
Ground Granulated Blast Furnace Slag								
Slags, ferrous metal, blast furnace	65996-96-2	85-100%	Not classified	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance. Recycled Content: None Nanomaterials: Unknown
Gypsum	13397-24-5	5-15%	Not classified	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance. Recycled Content: None Nanomaterials: Unknown
Other Substances	Filler	5-15%	Not classified	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance. Recycled Content: None Nanomaterials: Unknown
Fly Ash								
Silicon Dioxide (Silica, Amorphous)	7631-86-9	70-85%	Not classified	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance. Recycled Content: None Nanomaterials: Unknown

Quartz (>1% respirable crystalline silica)	14808-60-7	5-15%	IARC Group 3	OK				<p>This substance is hazardous to inhale. Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. This product is supplied as a wet mixture which reduces the risk of exposure however some exposure may occur when cleaning tools and clothing. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concrete recommends the use of respirators and other PPE to avoid dust to minimise risk during use phase.</p> <p>Recycled Content: None Nanomaterials: Unknown</p>
Other Substances	Filler	1-5%	None Declared	OK				<p>There are no identifiable risks associated with this substance.</p> <p>Recycled Content: None Nanomaterials: Unknown</p>
Silica Fume								
Fumes, Silica (crystalline) (<1% respirable crystalline silica)	69012-64-2	1-5%	Not Classified	OK				<p>There are no identifiable risks associated with this substance.</p> <p>Recycled Content: Post-C Nanomaterials: Unknown</p>
Remaining substances	NA	1-5%	Not Classified	OK				<p>There are no identifiable risks associated with this substance.</p> <p>Recycled Content: None Nanomaterials: Unknown</p>
Magnesium Oxide	1309-48-4	0.01-1%	Not classified	OK				<p>There are no identifiable risks associated with this substance.</p> <p>Recycled Content: None Nanomaterials: Unknown</p>
Aluminium Oxide	1344-28-1	0.01-1%	Not Classified	OK				<p>There are no identifiable risks associated with this substance.</p> <p>Recycled Content: None Nanomaterials: Unknown</p>
Iron Oxide	1309-38-2	0.01-1%	Not classified	OK				<p>There are no identifiable risks associated with this substance.</p> <p>Recycled Content: None Nanomaterials: Unknown</p>
Quartz (>1% respirable crystalline silica)	14808-60-7	0.01-1%	H351i (Carc 1A) H373 (STOT(SE)2)	OK				<p>This substance is hazardous to inhale. Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. This product is supplied as a wet mixture which reduces the risk of exposure however some exposure may occur when cleaning tools and clothing. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concrete recommends the use of respirators and other PPE to avoid dust to minimise risk during use phase.</p> <p>Recycled Content: None Nanomaterials: Unknown</p>
Water								
Water	Hydration	5-15%	Not Classified	OK				<p>There are no identifiable risks associated with this substance.</p> <p>Recycled Content: None Nanomaterials: Unknown</p>
Salt								
Sodium sulphate	7757-82-6	5-15%	Not Classified	OK				<p>There are no identifiable risks associated with this substance.</p> <p>Recycled Content: None Nanomaterials: Unknown</p>
Admixture 1: Air Entrainment (Optional)								
2-(2-butoxyethoxy) ethanol	112-34-5	0.01-1%	H319( Eye Irrit.2)	OK				<p>This substance is a strong irritant for eye, skin and inhalation and aerosols should be avoided at all costs. Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. This product is supplied as a wet mixture which reduces the risk of exposure however some exposure may occur when cleaning tools and clothing. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concrete recommends the use of respirators and other PPE to avoid dust to minimise risk during use phase.</p> <p>Recycled Content: None Nanomaterials: Unknown</p>


























































2,2-dimethylpropane-1,3-diol	126-30-7	0.01-1%	H318 ( Eye Dam. 1)	OK	<div></div>	<div></div>	<div></div>	The Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. This product is supplied as a wet mixture which reduces the risk of exposure however some exposure may occur when cleaning tools and clothing. Concreate requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any significant risks to users if left whole. If the hardened product is drilled, sawed or chased, Concreate recommends the use of respirators and other PPE to avoid dust to minimise risk during use phase. Recycled Content: None Nanomaterials: Unknown
Proprietary	Diluent	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no identifiable risks associated with this substance. Recycled Content: None Nanomaterials: Unknown
Admixture 2: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared Hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Sodium thiocyanate	540-72-7	0.01-1%	H302 (Acute Tox. 4) H312 (Acute Tox. 4) H318 (Eye Dam. 1) H332 (Acute Tox. 4) H412 (Aquatic Chronic 3)	OK	<div></div>	<div></div>	<div></div>	Risks during the manufacturing stage are mitigated through Concreate's integrated Health Safety Environment and Quality (HSEQ) Management System. Concreate requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Admixture 3: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
2,2'-(methylimino) diethanol	105-59-9	0.01-1%	H319 (Eye Irrit.2)	OK	<div></div>	<div></div>	<div></div>	Risks during the manufacturing stage are mitigated through Concreate's integrated Health Safety Environment and Quality (HSEQ) Management System. Concreate requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Sodium thiocyanate	540-72-7	<0.01%	H302 (Acute Tox. 4) H312 (Acute Tox. 4) H318 (Eye Dam. 1) H332 (Acute Tox. 4) H412 (Aquatic Chronic 3)	OK	<div></div>	<div></div>	<div></div>	Risks during the manufacturing stage are mitigated through Concreate's integrated Health Safety Environment and Quality (HSEQ) Management System. Concreate requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Admixture 4: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 5: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 6: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 7: Set Accelerator (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK	<div></div>	<div></div>	<div></div>	There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown



Calcium nitrate tetrahydrate	13477-34-4	0.01-1%	H302 (Acute Tox. 4 (Oral)) H318 ( Eye Dam. 1) H272 ( Ox. Liq. 3,) H373 (STOT RE 2) H371 (STOT SE 2) H319 ( Eye Dam. 2A) H315 (Skin Irrit. 2) H335 (STOT SE 3 (Resp.)) H271 ( Ox. Liq. 1)	OK				Risks during the manufacturing stage are mitigated through Concrite's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrite requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Sodium thiocyanate	540-72-7	0.01-1%	H302 (Acute Tox. 4) H312 (Acute Tox. 4) H318 (Eye Dam. 1) H332 (Acute Tox. 4) H412 (Aquatic Chronic 3)	OK				Risks during the manufacturing stage are mitigated through Concrite's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrite requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
2,2,2"-nitrilotriethanol	102-71-6	0.01-1%	IARC 3 H319 ( Eye Irrit.) H318 (Eye Dam 1) H361 ( Repr. 2)	OK				Risks during the manufacturing stage are mitigated through Concrite's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrite requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Admixture 8: Set Accelerator (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
2,2,2"-nitrilotriethanol	102-71-6	0.01-1%	IARC 3 H318 ( Eye Dam1.) H361 ( Repr. 2)	OK				Risks during the manufacturing stage are mitigated through Concrite's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrite requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 9: Set Accelerator (Optional)								
Calcium nitrate tetrahydrate	13477-34-4	0.01-1%	H302 (Acute Tox. 4 (Oral)) H318 ( Eye Dam. 1) H272 ( Ox. Liq. 3,) H373 (STOT RE 2) H371 (STOT SE 2) H319 ( Eye Dam. 2A) H315 (Skin Irrit. 2) H335 (STOT SE 3 (Resp.)) H271 ( Ox. Liq. 1)	OK				Risks during the manufacturing stage are mitigated through Concrite's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrite requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Proprietary	See substance declaration 6	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
2,2,2"-nitrilotriethanol	102-71-6	0.01-1%	IARC 3 H318 ( Eye Dam1.) H361 ( Repr. 2)	OK				Risks during the manufacturing stage are mitigated through Concrite's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrite requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Sodium thiocyanate	540-72-7	0.01-1%	H302 (Acute Tox. 4) H312 (Acute Tox. 4) H318 (Eye Dam. 1) H332 (Acute Tox. 4) H412 (Aquatic Chronic 3)	OK				Risks during the manufacturing stage are mitigated through Concrite's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrite requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Admixture 10: Water Reducer Accelerator (Optional)								
Proprietary	13477-34-4	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown

Sodium thiocyanate	540-72-7	0.01-1%	Acute Tox. 4 (Oral), Acute Tox. 4 (Dermal), Acute Tox. 4 (Inhalation), Aquatic Chronic 3 Eye Dam. 1	OK				Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
2,2,2"-nitritotriethanol	102-71-6	0.01-1%	IARC 3 H318 ( Eye Dam1.) H361 (Repr. 2)	OK				Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Proprietary	540-72-7	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 11: Set Accelerator (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Calcium nitrate tetrahydrate	13477-34-4	0.01-1%	H302 (Acute Tox. 4 (Oral)) H318 (Eye Dam. 1) H272 (Ox. Liq. 3) H373 (STOT RE 2) H371 (STOT SE 2) H319 (Eye Dam. 2A) H315 (Skin Irrit. 2) H335 (STOT SE 3 (Resp.)) H271 (Ox. Liq. 1)	OK				Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Calcium chloride	10043-52-4	0.01-1%	H319 (Eye Irrit. 2)	OK				Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
2,2,2"-nitritotriethanol	102-71-6	0.01-1%	IARC 3 H319 ( Eye Irrit.) H318 (Eye Dam 1) H361 ( Repr. 2)	OK				Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Admixture 12: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 13: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
1,1,1'-nitritotripropan-2-ol	122-20-3	0.01-1%	H319 (Eye Irrit. 2)	OK				Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Admixture 14: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown



Admixture 15: Workability Retainer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 16: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 17: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 18: Water Reducer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 19: Set Controller (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 20: Set Retarder (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 21: Air Entrainer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Admixture 22: Air Entrainer (Optional)								
Proprietary	Diluent	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Additive	0.01-1%	None Declared	OK				There are no declared hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Benzenesulfonic acid, mono-C10-16-alkyl derivs, sodium salts	68081-81-2	0.01-1%	H302 (Acute Tox. 4 (Oral)) H318 (Eye Dam. 1) H335 ( STOT SE 3 (Resp.)) H315 (Skin Irrit. 2)	OK				Risks during the manufacturing stage are mitigated through Concrete's integrated Health Safety Environment and Quality (HSEQ) Management System. Concrete requires installation personal to have adequate safety training and take safety precautions including PPE to limit exposure. This substance is cured in the final product and does not have any identifiable risks to users. Recycled Content: None Nanomaterials: Unknown
Steel Fiber Bundles (Optional)								
Steel Fibers	12597-69-2	<5%	None	OK				There are no identifiable hazards for this substance. Recycled Content: No Nanomaterials: Unknown
Proprietary	Adhesive	<5%	None Declared	OK				There are no identifiable hazards for this substance. Recycled Content: No Nanomaterials: Unknown

Comments:

The scope of the PHD includes the following Concrete products :

50mm Line Concrete (2 Inch) (≤ 50 MPa)	Low Carbon Concrete (≤ 80 MPa)	Standard Concrete (≤ 80 MPa)
75mm Line Concrete ( 3 Inch) (≤ 50 MPa)	Low Carbon High Performance Concrete (≤ 100 MPa)	Superworkable Concrete (≤ 80 MPa)
Blockfill Concrete (≤ 65 MPa)	Low Carbon Performance Concrete (≤ 100 MPa)	Superworkable Concrete (≤ 100 MPa)
Burnish Finish Concrete (≤ 50 MPa)	Low Heat Concrete (≤ 80 MPa)	Sydney Water Concrete (≤ 80 MPa)
Controlled Low Strength Concrete (≤ 10 MPa)	Low Permeability Concrete (≤ 80 MPa)	Tank Concrete (≤ 50 MPa)
Early Age Strength Concrete (≤ 50 MPa)	Low Shrinkage Concrete (≤ 80 MPa)	Tilt Up Concrete (≤ 65 MPa)
Easy Place Concrete (≤ 50 MPa)	Min Cement Concrete (≤ 80 MPa)	Topping Concrete (≤ 80 MPa)
Exposed Aggregate Concrete (≤ 50 MPa)	No Fines Concrete (≤ 20 MPa)	Tremie Concrete (≤ 80 MPa)
Flex Concrete (≤ 50 MPa)	Normal (≤ 65 MPa)	Utilities Concrete (≤ 65 MPa)
Flowable Fill	Pattern Pave Concrete (≤ 40 MPa)	Waffle Slab (≤ 50 MPa)
Foundation Concrete (≤ 50 MPa)	Paving Concrete (≤ 80 MPa)	Wall Concrete (≤ 65 MPa)
Grout	Piling Concrete (≤ 100 MPa)	Water Authority Concrete (≤ 80 MPa)
High Performance Concrete (≤ 120 MPa)	Polished Concrete (≤ 50 MPa)	Waterproof Concrete (≤ 80 MPa)
High Rise Concrete (≤ 120 MPa)	Pool Concrete (≤ 50 MPa)	Winterslab Concrete (≤ 65 MPa)
High Slump Concrete (≤ 80 MPa)	Post Tensioned Concrete (≤ 65 MPa)	
High Strength Concrete (≤ 120 MPa)	Precast Concrete (≤ 100 MPa)	
High Workability Concrete (High to 80 MPa)	Pump Concrete (≤ 50 MPa)	
Hollow Core Concrete (≤ 50 MPa)	Road Authority Bridge Concrete (≤ 80 MPa)	
Infill Concrete (≤ 50 MPa)	Road Authority Paving Concrete (≤ 50 MPa)	
Jump Form Concrete (≤ 80 MPa)	Self Compacting Concrete (≤ 100 MPa)	
Kerb Hand Placed Concrete (≤ 40 MPa)	Shotcrete (≤ 80 MPa)	
Kerb Machine Placed Concrete (≤ 40 MPa)	Slipform Concrete (≤ 50 MPa)	
Late Age Concrete (≤ 120 MPa)	Special Class Concrete (≤ 120 MPa)	
Lean Mix Concrete (≤ 15 MPa)	Stabilised Sand	